



**RANGER SP 530**



**RANGER 570 HD ADC**



**RANGER SP 570 PREMIUM**



**RANGER SP 570 NORTHSTAR**

<b>HORSEPOWER</b>	32 HP	44 HP	44 HP	44 HP
<b>DISPLACEMENT</b>	567cc	567cc	567cc	567cc
<b>DRIVE SYSTEM</b>	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode
<b>ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL</b>	Not Equipped / Not Equipped	Yes / Yes	Not Equipped / Not Equipped	Not Equipped/Not Equipped
<b>FRONT SUSPENSION</b>	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel
<b>REAR SUSPENSION</b>	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel
<b>WHEELBASE</b>	185.4 cm	185.4 cm	185.4 cm	185.4 cm
<b>TYRES</b>	25" Carlisle 489 (4 Ply Rated)	25" Carlisle 489 (4 Ply Rated)	25" Carlisle 489 (4 Ply Rated)	25" Carlisle Terra Cross (6 Ply Rated)
<b>DRY WEIGHT</b>	525 kg	499 kg	565 kg	681 kg
<b>OVERALL VEHICLE SIZE (L X W X H)</b>	279 x 147 x 185 cm	279 x 147 x 185 cm	274.3 x 142.2 x 188 cm	274.3 x 147.3 x 188 cm
<b>GROUND CLEARANCE</b>	27.9 cm	25.4 cm	27.9 cm	26.7 cm
<b>SEATING CAPACITY</b>	2	2	2	2
<b>FUEL CAPACITY</b>	35.9 L	34.1 L	35.9 L	35.9 L
<b>TILT BOX CAPACITY</b>	227 kg	227 kg	227 kg	227 kg
<b>PAYLOAD CAPACITY</b>	454 kg	454 kg	420 kg	318 kg
<b>HITCH TOWING RATING</b>	680 kg	680 kg	680 kg	680 kg
<b>ELECTRONIC POWER STEERING</b>	Not Equipped	Yes	Yes	Yes

# POLARIS RANGER

**FULL-SIZE** | MAXIMUM PERFORMANCE & CAPABILITY



RANGER 1000 EPS



RANGER 1000 PREMIUM



RANGER XP 1000 HD ADC



RANGER DIESEL HD ADC



RANGER XP 1000 NORTHSTAR PREMIUM



RANGER KINETIC PREMIUM <sup>EV</sup>



RANGER KINETIC ULTIMATE <sup>EV</sup>

HORSEPOWER	61 HP	61 HP	82 HP	24.8 HP	82 HP	110 HP	110 HP
DISPLACEMENT	999cc	999cc	999cc	898cc	999cc	N.A	N.A
DRIVE SYSTEM	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/Versatrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Yes / Yes	Yes / Yes	Not Equipped / Not Equipped	Regenerative Braking / Not Equipped	Regenerative Braking / Not Equipped
FRONT SUSPENSION	Dual A-Arm, 25.4 cm Travel	Dual A-Arm, 25.4 cm Travel	Dual A-Arm 27.9 cm Travel	Dual A-Arm with Stabilizer Bar 27.9 cm Travel	Dual A-Arm 27.9 cm Travel	Dual A-Arm 25.4 cm Travel	Dual A-Arm 25.4 cm Travel
REAR SUSPENSION	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 27.9 cm Travel	Dual A-Arm IRS with Stabilizer Bar 27.9 cm Travel	Dual A-Arm, IRS 27.9 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel
WHEELBASE	206 cm	206 cm	206 cm	206 cm	206 cm	206 cm	206 cm
TYRES	25" Carlisle 489 (4 Ply Rated)	26" PXT 2.0 (6 Ply Rated)	27" Pro Armor X-Terrain (8 Ply Rated)	27" R12 (8 Ply Rated)	27" Pro Armor X-Terrain (8 Ply Rated)	29" PRO ARMOR X-TERRAIN (8 Ply Rated)	29" PRO ARMOR X-TERRAIN (8 Ply Rated)
DRY WEIGHT	673.6 kg	673.6 kg	737 kg	766 kg	867 kg	796 kg	899 kg
OVERALL VEHICLE SIZE (L X W X H)	305 x 158 x 193 cm	305 x 158 x 193 cm	305 x 158 x 196 cm	305 x 158 x 196 cm	305 x 165 x 198 cm	305 x 158 x 198 cm	305 x 158 x 198 cm
GROUND CLEARANCE	30.5 cm	31.8 cm	33 cm	33 cm	33 cm	35.6 cm	35.6 cm
SEATING CAPACITY	3	3	3	3	3	3	3
FUEL CAPACITY	43 L	43 L	43.5 L	43.5 L	43.5 L	14.9 kWh Lithium-Ion Battery with up to 70 km Estimate Range*	29.8 kWh Lithium-Ion Battery with up to 120 km Estimate Range*
TILT BOX CAPACITY	454 kg	454 kg	454 kg	435 kg	454 kg	567 kg	567 kg
PAYLOAD CAPACITY	680 kg	680 kg	680 kg	720 kg	578 kg	680 kg	680 kg
HITCH TOWING RATING	1,134 kg	1,134 kg	1,134 kg	1,134 kg	1,134 kg	1,134 kg	1,134 kg
ELECTRONIC POWER STEERING	Yes	Yes	Yes	Yes	Yes	Yes	Yes

\*Specifications subject to change. Range estimates based on manufacturer data on typical customer driving usage and conditions. Actual range varies based on conditions such as external environment, weather, speed, cargo loads, rates of acceleration, vehicle maintenance, and vehicle usage.

**POLARIS**



**RANGER XD 1500 PREMIUM**



**RANGER XD 1500 NORTHSTAR PREMIUM**



**RANGER XD 1500 NORTHSTAR ULTIMATE**



**RANGER CREW XD 1500 PREMIUM**



**RANGER CREW XD 1500 NORTHSTAR PREMIUM**



**RANGER CREW XD 1500 NORTHSTAR ULTIMATE**

<b>HORSEPOWER</b>	110 HP	110 HP	110 HP	110 HP	110 HP	110 HP
<b>DISPLACEMENT</b>	1498cc	1498cc	1498cc	1498cc	1498cc	1498cc
<b>DRIVE SYSTEM</b>	On-Demand True AWD/2WD/Turf/Ultra Turf. Drive Modes: Comfort, Standard, Sport, Tow/Haul.	On-Demand True AWD/2WD/Turf/Ultra Turf. Drive Modes: Comfort, Standard, Sport, Tow/Haul.	On-Demand True AWD/2WD/Turf/Ultra Turf. Drive Modes: Comfort, Standard, Sport, Tow/Haul.	On-Demand True AWD/2WD/Turf/Ultra Turf. Drive Modes: Comfort, Standard, Sport, Tow/Haul.	On-Demand True AWD/2WD/Turf/Ultra Turf. Drive Modes: Comfort, Standard, Sport, Tow/Haul.	On-Demand True AWD/2WD/Turf/Ultra Turf. Drive Modes: Comfort, Standard, Sport, Tow/Haul.
<b>TRANSMISSION</b>	STEELDRIVE Automatic Transmission: D/R/P	STEELDRIVE Automatic Transmission: D/R/P	STEELDRIVE Automatic Transmission: D/R/P	STEELDRIVE Automatic Transmission: D/R/P	STEELDRIVE Automatic Transmission: D/R/P	STEELDRIVE Automatic Transmission: D/R/P
<b>ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL</b>	Drive Mode Specific Engine Braking System. Hill Assist enables the vehicle to hold its position, allowing easier maneuvering and improved control when stopping and starting on hills.	Drive Mode Specific Engine Braking System. Hill Assist enables the vehicle to hold its position, allowing easier maneuvering and improved control when stopping and starting on hills.	Drive Mode Specific Engine Braking System. Hill Assist enables the vehicle to hold its position, allowing easier maneuvering and improved control when stopping and starting on hills.	Drive Mode Specific Engine Braking System. Hill Assist enables the vehicle to hold its position, allowing easier maneuvering and improved control when stopping and starting on hills.	Drive Mode Specific Engine Braking System. Hill Assist enables the vehicle to hold its position, allowing easier maneuvering and improved control when stopping and starting on hills.	Drive Mode Specific Engine Braking System. Hill Assist enables the vehicle to hold its position, allowing easier maneuvering and improved control when stopping and starting on hills.
<b>FRONT SUSPENSION</b>	Dual A-Arm 30.5 cm Travel	Dual A-Arm 30.5 cm Travel	Dual A-Arm 30.5 cm Travel	Dual A-Arm 30.5 cm Travel	Dual A-Arm 30.5 cm Travel	Dual A-Arm 30.5 cm Travel
<b>REAR SUSPENSION</b>	Dual Arched A-Arm IRS 30.5 cm Travel	Dual Arched A-Arm IRS 30.5 cm Travel	Dual Arched A-Arm IRS 30.5 cm Travel	Dual Arched A-Arm IRS 30.5 cm Travel	Dual Arched A-Arm IRS 30.5 cm Travel	Dual Arched A-Arm IRS 30.5 cm Travel
<b>WHEELBASE</b>	241.3 cm	241.3 cm	241.3 cm	322.6 cm	322.6 cm	322.6 cm
<b>TYRES</b>	29" Pro Armor X-Terrain (8 Ply Rated)	30" KENDA® CROSS TRAIL (8 Ply Rated)	30" KENDA® CROSS TRAIL (8 Ply Rated)	29" Pro Armor X-Terrain (8 Ply Rated)	30" KENDA® CROSS TRAIL (8 Ply Rated)	30" KENDA® CROSS TRAIL (8 Ply Rated)
<b>DRY WEIGHT</b>	1,122 kg	1,270 kg	1,270 kg	1,318 kg	1,507 kg	1,507 kg
<b>OVERALL VEHICLE SIZE (L X W X H)</b>	348 x 163 x 198 cm	348 x 163 x 198 cm	348 x 163 x 198 cm	416.5 x 163 x 198 cm	416.5 x 163 x 198 cm	416.5 x 163 x 198 cm
<b>GROUND CLEARANCE</b>	38 cm	38 cm	38 cm	38 cm	38 cm	38 cm
<b>SEATING CAPACITY</b>	3	3	3	6	6	6
<b>FUEL CAPACITY</b>	51.5 L	51.5 L	51.5 L	51.5 L	51.5 L	51.5 L
<b>TILT BOX CAPACITY</b>	680 kg	680 kg	680 kg	680 kg	680 kg	680 kg
<b>PAYLOAD CAPACITY</b>	957 kg	773 kg	773 kg	975 kg	755 kg	755 kg
<b>HITCH TOWING RATING</b>	1,588 kg	1,588 kg	1,588 kg	1,588 kg	1,588 kg	1,588 kg
<b>ELECTRONIC POWER STEERING</b>	Yes	Yes	Yes	Yes	Yes	Yes

\*Specifications subject to change.



**RANGER CREW SP 570 PREMIUM**



**RANGER CREW 1000 PREMIUM**



**RANGER CREW XP 1000 PREMIUM**



**RANGER CREW XP 1000  
NORTHSTAR PREMIUM**

<b>HORSEPOWER</b>	44 HP	61 HP	82 HP	82 HP
<b>DISPLACEMENT</b>	567 cc	999cc	999cc	999cc
<b>DRIVE SYSTEM</b>	On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
<b>ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL</b>	Not Equipped / Not Equipped	Not Equipped/ Not Equipped	Not Equipped/ Not Equipped	Not Equipped/ Not Equipped
<b>FRONT SUSPENSION</b>	MacPherson Strut 22.9 cm Travel	Dual A-Arm 25.4 cm Travel	Dual A-Arm 27.9 cm Travel	Dual A-Arm 27.9 cm Travel
<b>REAR SUSPENSION</b>	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 27.9 cm Travel	Dual A-Arm, IRS 27.9 cm Travel
<b>WHEELBASE</b>	266.7 cm	287 cm	287 cm	287 cm
<b>TYRES</b>	25" Carlisle 489 (4 Ply Rated)	26" PXT 2.0 (6 Ply Rated)	27" Pro Armor X-Terrain (8 Ply Rated)	27" Pro Armor X-Terrain (8 Ply Rated)
<b>DRY WEIGHT</b>	703 kg	814 kg	859 kg	1,063 kg
<b>OVERALL VEHICLE SIZE (L X W X H)</b>	365.8 x 142.2 x 188 cm	386 x 158 x 193 cm	386 x 158 x 196 cm	386 x 165 x 198 cm
<b>GROUND CLEARANCE</b>	27.9 cm	31.8 cm	33 cm	33 cm
<b>SEATING CAPACITY</b>	4	6	6	6
<b>FUEL CAPACITY</b>	35.9 L	43 L	43.5 L	43.5 L
<b>TILT BOX CAPACITY</b>	226.8 kg	454 kg	454 kg	454 kg
<b>PAYLOAD CAPACITY</b>	499 kg	794 kg	767 kg	558 kg
<b>HITCH TOWING RATING</b>	680 kg	1,134 kg	1,134 kg	1,134 kg
<b>ELECTRONIC POWER STEERING</b>	Yes	Yes	Yes	Yes

\*Specifications subject to change.